## WHAT IS CLAIMED IS:

- 1. A composition suitable for sanitizing, deodorizing and refreshing a ballistic fabric, said composition comprises
  - (a) a carrier;
  - (b) optionally, silicone compounds and/or emulsions;
  - (c) optionally, an effective amount of a wrinkle control agent selected from the group consisting of wrinkle control polymers, fabric care saccharides, lithium salts, fabric lubricants, and mixtures thereof;
  - (d) optionally, an effective amount of a supplemental surface tension control agent;
  - (e) optionally, an effective amount to absorb or reduce malodor, of odor control agent;
  - (f) optionally, an effective amount to provide olfactory effects of perfume;
  - (g) optionally, an effective amount of solubilized, water-soluble, antimicrobial preservative;
  - (h) optionally, adjunct ingredients selected from the group consisting of adjunct odor-controlling materials, chelating agents, viscosity control agents, additional antistatic agents, insect and moth repelling agents, colorants, anticlogging agents, and mixtures thereof;

wherein said composition has a pH of from about 3 to about 11, comprises at least one of (e) and (g) and at least one of (b) to (h) a viscosity of less than about 100 cP and wherein said composition does not reduce the reduce the ballistic properties of said ballistic fabric after at least two applications.

- 2. The composition of Claim 1 wherein said polymer comprising carboxylic acid moieties is at a level of from about 0.001% to about 25% by weight of said composition, and wherein said composition has a pH of from about 4 to about 9 and a viscosity of less than about 50 cP.
- 3. The composition of Claim 2 wherein said polymer comprising carboxylic acid moieties is selected from the group consisting of silicone graft copolymers, silicone block copolymers, and mixtures thereof.
- 4. The composition of Claim 3 wherein said composition further comprises a silicone compound, silicone emulsion, or mixtures thereof.

5. The composition of Claim 4 wherein said silicone compound is a polyalkylene oxide polysiloxane having the formula:

$${\tt R}^1\!\!-\!\!({\tt CH_3})_2{\tt SiO}\!\!-\!\![({\tt CH_3})_2{\tt SiO}]_a\!\!-\!\![({\tt CH_3})({\tt R}^1){\tt SiO}]_b\!\!-\!\!{\tt Si}({\tt CH_3})_2\!\!-\!\!{\tt R}^1$$

wherein a + b are from about 1 to about 50, and each R<sup>1</sup> is the same or different and is selected from the group consisting of a methyl group and a poly(ethyleneoxide/propyleneoxide) copolymer group having the general formula:

$$-(CH_2)_n O(C_2 H_4 O)_c (C_3 H_6 O)_d R^2$$

wherein at least one R<sup>1</sup> is a poly(ethyleneoxy/propyleneoxy) copolymer group, and wherein n is 3 or 4; total c (for all polyalkyleneoxy side groups) has a value of from 1 to about 100; total c+d has a value of from about 5 to about 150, and each R<sup>2</sup> is the same or different and is selected from the group consisting of hydrogen, an alkyl having 1 to 4 carbon atoms, and an acetyl group.

- 6. The composition of Claim 5 wherein said composition further comprises a supplemental wrinkle control agent selected from the group consisting of adjunct polymers free of carboxylic acid moieties, starches, fabric care saccharides, lithium salts, fiber fabric lubricant, and mixtures thereof.
- 7. The composition of Claim 4 wherein said supplemental wrinkle control agent is a fabric care saccharide selected from the group consisting of primary fabric care polysaccharide, adjunct fabric care oligosaccharide, and mixtures thereof.
- 8. The composition of Claim 1 wherein said carrier further comprises solvent, plasticizer, or mixtures thereof.
- 9. The composition of Claim 8 wherein said solvent is ethanol or other low molecular weight alcohols or polyols.
- 10. The composition of Claim 1 wherein said composition further comprises a supplemental surface tension control agent selected from the group consisting of nonionic

surfactant, ionic surfactant, zwitterionic surfactant, fluorine-based surfactant, and mixtures thereof.

- 11. The composition of Claim 10 wherein said supplemental surface tension control agent is a fluorine-based surfactant selected from the group consisting of fluorinated alkyl polyoxyalkylene, fluorinated alkyl esters, and mixtures thereof.
- 12. An composition for reducing or removing odors and fungal growth on a ballistic fabric comprising:
  - (a) a polymer comprising carboxylic acid moieties:
  - (b) a silicone compound;
  - (c) a fabric care saccharide;
  - (d) an odor control agent comprising cyclodextrin;
  - (e) an antimicrobial preservative;
  - (f) perfume; and
  - (g) a carrier comprising water

wherein said composition has a pH of from about 4 to about 9 and a viscosity of less than about 50 cP and wherein said composition does not reduce the reduce the ballistic properties of said ballistic fabric after at least two applications.

- 13. A method for reducing or removing odors and fungal growth on a ballistic fabric which comprises the steps of contacting the fabrics with a composition comprising
  - (a) a carrier;
  - (b) optionally, silicone compounds and/or emulsions;
  - (c) optionally, an effective amount of a wrinkle control agent selected from the group consisting of wrinkle control polymers, fabric care saccharides, lithium salts, fabric lubricants, and mixtures thereof;
  - (d) optionally, an effective amount of a supplemental surface tension control agent;
  - (e) optionally, an effective amount to absorb or reduce malodor, of odor control agent;
  - (f) optionally, an effective amount to provide olfactory effects of perfume;
  - (g) optionally, an effective amount of solubilized, water-soluble, antimicrobial preservative;

(h) optionally, adjunct ingredients selected from the group consisting of adjunct odor-controlling materials, chelating agents, viscosity control agents, additional antistatic agents, insect and moth repelling agents, colorants, anticlogging agents, and mixtures thereof;

wherein said composition has a pH of from about 3 to about 11, comprises at least one of (e) and (g) and at least one of (b) to (h), a viscosity of less than about 100 cP and wherein said composition does not reduce the reduce the ballistic properties of said ballistic fabric after at least two applications.

- 14. The method according to Claim 13, wherein the composition is contacted with the fabrics by means of a spray dispenser.
- 15. The method according to anyone of Claim 13, wherein the fabrics are treated with a dewrinkling apparatus.
- 16. The method according to Claim 15, wherein the apparatus comprises spraying means capable of providing droplets with a mean diameter of 3 to 50 µm.
- 17. An article of manufacture comprising the composition according to Claim 1 in a spray dispenser
- 18. The article of manufacture according to Claim 17 wherein said spray dispenser comprises a trigger spray device and is capable of providing droplets with a weight average diameter of from 8 to  $100 \, \mu m$
- 19. A composition suitable for sanitizing, deodorizing and refreshing protective garments, said composition comprises
  - (a) a carrier;
  - (b) optionally, silicone compounds and/or emulsions;
  - (c) optionally, an effective amount of a wrinkle control agent selected from the group consisting of wrinkle control polymers, fabric care saccharides, lithium salts, fabric lubricants, and mixtures thereof;
  - (d) optionally, an effective amount of a supplemental surface tension control agent;

- (e) optionally, an effective amount to absorb or reduce malodor, of odor control agent;
- (f) optionally, an effective amount to provide olfactory effects of perfume;
- (g) optionally, an effective amount of solubilized, water-soluble, antimicrobial preservative;
- (h) optionally, adjunct ingredients selected from the group consisting of adjunct odor-controlling materials, chelating agents, viscosity control agents, additional antistatic agents, insect and moth repelling agents, colorants, anti-clogging agents, and mixtures thereof;

wherein said composition has a pH of from about 3 to about 11 comprises at least one of (e) and (g) and at least one of (b) to (h) and a viscosity of less than about 100 cP and wherein said composition does not reduce the reduce the protective properties of said protective garments after at least two applications.

- 20. The composition of Claim 19 wherein said polymer comprising carboxylic acid moieties is at a level of from about 0.001% to about 25% by weight of said composition, and wherein said composition has a pH of from about 4 to about 9 and a viscosity of less than about 50 cP.
- 21. The composition of Claim 20 wherein said polymer comprising carboxylic acid moieties is selected from the group consisting of silicone graft copolymers, silicone block copolymers, and mixtures thereof.
- 22. The composition of Claim 21 wherein said composition further comprises a silicone compound, silicone emulsion, or mixtures thereof.
- 23. The composition of Claim 22 wherein said silicone compound is a polyalkylene oxide polysiloxane having the formula:

$$R^1$$
—(CH3)2SiO—[(CH3)2SiO]a—[(CH3)( $R^1$ )SiO]b—Si(CH3)2— $R^1$ 

wherein a + b are from about 1 to about 50, and each R<sup>1</sup> is the same or different and is selected from the group consisting of a methyl group and a poly(ethyleneoxide/propyleneoxide) copolymer group having the general formula:

$$\hbox{-(CH$_2$)}_n \hbox{ O(C$_2$ H$_4$ O)}_c \hbox{ (C$_3$ H$_6$ O)}_d \hbox{ R$^2$}$$

wherein at least one R<sup>1</sup> is a poly(ethyleneoxy/propyleneoxy) copolymer group, and wherein n is 3 or 4; total c (for all polyalkyleneoxy side groups) has a value of from 1 to about 100; total c+d has a value of from about 5 to about 150, and each R<sup>2</sup> is the same or different and is selected from the group consisting of hydrogen, an alkyl having 1 to 4 carbon atoms, and an acetyl group.

- 24. The composition of Claim 23 wherein said composition further comprises a supplemental wrinkle control agent selected from the group consisting of adjunct polymers free of carboxylic acid moieties, starches, fabric care saccharides, lithium salts, fiber fabric lubricant, and mixtures thereof.
- 25. The composition of Claim 23 wherein said supplemental wrinkle control agent is a fabric care saccharide selected from the group consisting of primary fabric care polysaccharide, adjunct fabric care oligosaccharide, and mixtures thereof.
- 26. The composition of Claim 19 wherein said carrier further comprises solvent, plasticizer, or mixtures thereof.
- 27. The composition of Claim 26 wherein said solvent is ethanol.
- 28. The composition of Claim 19 wherein said composition further comprises a supplemental surface tension control agent selected from the group consisting of nonionic surfactant, ionic surfactant, zwitterionic surfactant, fluorine-based surfactant, and mixtures thereof.
- 29. The composition of Claim 28 wherein said supplemental surface tension control agent is a fluorine-based surfactant selected from the group consisting of fluorinated alkyl polyoxyalkylene, fluorinated alkyl esters, and mixtures thereof.
- 30 The composition of Claim 19 wherein said protective garments are rigid and selected from the group consisting of helmets, shin guards, knee guards, elbow pads,
- 31. An composition for reducing or removing odors and fungal growth on and/or in a protective garment comprising:

- (a) a polymer comprising carboxylic acid moieties;
- (b) a silicone compound;
- (c) a fabric care saccharide;
- (d) an odor control agent comprising cyclodextrin;
- (e) an antimicrobial preservative;
- (f) perfume; and
- (g) a carrier comprising water

wherein said composition has a pH of from about 5 to about 6.5 and a viscosity of less than about 15 cP and wherein said composition does not reduce the reduce the ballistic properties of said ballistic fabric after at least two applications.

- 32. A method for reducing or removing odors and fungal growth on and/or in a protective garment which comprises the steps of contacting said garment with a composition comprising
  - (a) a carrier;
  - (b) optionally, silicone compounds and/or emulsions;
  - (c) optionally, an effective amount of a wrinkle control agent selected from the group consisting of wrinkle control polymers, fabric care saccharides, lithium salts, fabric lubricants, and mixtures thereof;
  - (d) optionally, an effective amount of a supplemental surface tension control agent;
  - (e) optionally, an effective amount to absorb or reduce malodor, of odor control agent;
  - (f) optionally, an effective amount to provide olfactory effects of perfume;
  - (g) optionally, an effective amount of solubilized, water-soluble, antimicrobial preservative;
  - (h) optionally, adjunct ingredients selected from the group consisting of adjunct odor-controlling materials, chelating agents, viscosity control agents, additional antistatic agents, insect and moth repelling agents, colorants, anticlogging agents, and mixtures thereof;

wherein said composition has a pH of from about 3 to about 11 comprises at least one of (e) and (g) and at least one of (b) to (h) a viscosity of less than about 100 cP and wherein said composition does not reduce the reduce the ballistic properties of said ballistic fabric after at least two applications.

- 33. The method according to Claim 32, wherein the composition is contacted with the garment by means of a spray dispenser.
- 34. The method according to anyone of Claim 32, wherein the garment are placed into a dewrinkling apparatus.
- 35. The method according to Claim 34, wherein the apparatus comprises spraying means capable of providing droplets with a mean diameter of 3 to  $50 \mu m$ .
- 36. An article of manufacture comprising the composition according to Claim 19 in a spray dispenser.
- 37. The article of manufacture according to Claim 36 wherein said spray dispenser comprises a trigger spray device and is capable of providing droplets with a weight average diameter of from 8 to  $100 \mu m$ .